



Product Options


For FENiX LUX, Turbo and PRO



Design elements

- Wrapping film for doors
- Wrapping film for front panel
- Front panel logo decal
- Front panel display
- Door displays
- Soft Brushes





Traffic lights


for Entrance and Exit

- Traditional type

LED-light with a simple red and green lights.

- Displays

Green and red light to indicate if the wash is free or occupied. With or without a wash counter to show the remaining wash time left for the current car in wash.



Tracks and guidance

- Running Tracks

In addition to the traditional galvanized running tracks, we offer stainless steel (SS) tracks. Lifetime of the SS tracks is multiple compared to the traditional ones and therefore a more sustainable choice. SS tracks are delivered with a track washer.

- Guide Rails

Guide rails are installed next to the running tracks to guide the customer to the correct wash point.

The guide rails also protect the wash machine and are available in both traditional painted ones or with a LED lighting.

- Instead of, or in addition to, guide rails, there are reflector elements to make driving into the right place easier.





Centerline laser for vehicle parking

- This laser light makes it easier for the wash customer to drive in straight in the middle of the wash machine.
- The green laser beam shows on the dashboard and helps the driver to get their vehicle straight.

Prewash

- Prewash 1

Sides / Top

LUX: lower sides and top follow the shape of the vehicle

Turbo/PRO:
full height spread

- Prewash 2

Sides only:
different chemical or the same
chemical but with a different
mixture ratio can be used

- Wheel prewash



Prewash: Insect Arch

- In the summer, the Insect Arch intended for applying prewash chemical, spreads the detergent from the upper edge of the windshield to the front of the car before the pre-detergent crossing covering the entire car.



Prewash: Foam Rain

- This eye-catching additional pre-wash foam is a foam waterfall that offers an attractive and experiential element for the wash customer.
- Standard FOAM is also an option



Chassis wash

- Tammermatic's chassis wash is integrated into the wash machine, so there is no need for fixed floor installations. This also facilitates the maintenance of the washbay.
- Our chassis wash washes the hems and wheel arches of the car, but not the chassis up to the middle, which means that the car's sensitive technology remains safe.





Wheel HP Wash and Wheel Brushes

- Wheel high pressure wash washes the tire and rim. LUX with 2 x 6 and PRO with 2 x 3 oscillating nozzles.
- Wheel brushes (21") with their own shampoo pump make washing tyres and rims more efficient.

Soft Brushes

- Large washing foam brushes with tilt and shampoo feed; 11 color options of brushes (and their combinations) according to the customer's concept.
- To offer you something extra, soft SHAKE brushes make a visually different brushing movement that simulates hand wash.
- Traditional FIBER bushes also available.



A close-up view of a car's rear section being washed by large, rotating brushes in a car wash. The brushes are dark and appear to be made of synthetic fibers. The car's rear window and trunk are visible in the lower-left corner. A red light is visible at the bottom of the frame, likely from the car wash's lighting system.

Rear Wash


Sidebrush rear tilt

- Side brushes tilt approximately 15° behind the vehicle.
- Rear tilting brushes make washing more efficient, especially for cars with a rounder rear.



Splash Guards for Side Brushes

- Stainless steel, brushed.
- Protect the walls of the washbay from splashes and thus facilitate cleaning.
- Available for every machine height.

A red car is shown in a car wash environment. The car is positioned in front of a large, white, curved structure that serves as a wax arch. The car's surface is highly reflective, showing bright highlights. The background includes a blue vertical light strip and a white wall.

Wax Arches

- Drying wax equipment is required as a minimum, but for various polishing and special waxes, you can choose e.g. Polishing wax or RainLux arches.
- If you want to use two different polishing waxes in different programs or you wish to offer a double polishing program, you need to select two different polishing wax arches.
- In addition to the drying wax, if you want to offer your wash customer special coating wax Rainlux, it requires its own spreading system. Rainlux guarantees optimal drying results and gives an excellent gloss, protects paint surfaces and makes the drops slide off the car's glass surfaces in rainy weather.

Rear Wax Arch

- It is possible to shorten longer polishing programs with the help of the rear wax arch because it enables several functions on the same crossing.



Tyre Shine


- Polishing the tire completes the end result of a clean and shiny car. The conditioner is brushed onto the surface of the tires, which makes them look like new.
- Only from Tammermatic (patented).



Automatic shape recognition

- The scanner enables the sale of all wash programs for all cars with special forms such as roof rails or ladders.
- No separate ski box or pick-up programs are needed.
- An absolute safety factor, especially in unmanned car wash stations.
- Only from Tammermatic (patented).





Safety devices


- Touch sensitive width bars
Available both in standard black or with LED lights.
Stop the wash when the vehicle is parked incorrectly.
- Top safety photocell
Stops the wash when the vehicle is too high.
- Exterior safety bars, front / back
Prevent anyone from getting between the machine and the wall in a narrow washbay.
- Position audio signal
Makes a buzzer sound when the wash starts.
- Emergency stop buttons

Anti-Freeze

Antifreeze system / Antifreeze alert

- Antifreeze is most often installed in machines that are installed outdoors but it is also suitable for unmanned places in countries with a real winter.
If the temperature in the wash hall drops too low, the machine empties the water hoses so that the freezing water does not break anything.
- The freeze alarm is a lighter option, i.e. the machine stops if the temperature in the wash hall drops too much, e.g. due to the doors being left open.

Wash machine sends an alarm notification for low temperature (email / SMS) as additional option.



Programmable Washbay Lights

- LED-spot lights are programmable to change colors as the wash progresses.



Moving the machine

- Control panel with buttons in washbay

If there is no direct line of sight from the technical room to the washbay, it is useful to put a separate control unit on the wall of the wash bay for moving the machine or alternatively, use a movable one: a tablet with the user interface.





Washbay Cleaning

- Manual wash bay washing equipment
Available in both standard and stainless-steel hose reels. Use HP pump station.
- A floor and/or wall cleaning equipment/programs can be connected to the wash machine.



TAMMERMATIC

Vaaksakuja 1, 33960 Pirkkala, Finland
tammermatic.com